



Algebra1Coach.com

Patterns, Equations, and Graphs

Unit 1 Lesson 9

PATTERNS, EQUATIONS, AND GRAPHS

Students will be able to:

use tables, equations, and graphs to describe the relationships.

Key Vocabulary:

- Solutions to an equation with two variables
- Ordered Pair
- Equation
- Inductive Reasoning
- Table
- Graph

SOLUTION OF AN EQUATION containing two variables, x and y , is any ordered pair (x, y) that makes the equation true.

ORDERED PAIR – is a set of numbers or coordinates written in the form (x, y) . It can be used to show the position on a graph, where the x (horizontal) value is first, and the y (vertical) value is second.

Sample Problem 1: Tell whether the given order pair is a solution of each equation.

A. Is $(30, 3)$ a solution of the equation $x - 14 = 5y$?

B. Is $(12, 5)$ a solution of the equation $4x + 2 = 10y$?

C. Is $(7, 1)$ a solution of the equation $8x - 6 = 50y$?

Sample Problem 1: Tell whether the given order pair is a solution of each equation.

A. Is $(30, 3)$ a solution of the equation $x - 14 = 5y$?

$$30 - 14 = 5(3) \rightarrow 30 - 14 = 15 \rightarrow 16 \neq 15$$

B. Is $(12, 5)$ a solution of the equation $4x + 2 = 10y$?

$$4(12) + 2 = 10(5) \rightarrow 48 + 2 = 50 \rightarrow 50 = 50$$

C. Is $(7, 1)$ a solution of the equation $8x - 6 = 50y$?

$$8(7) - 6 = 50(1) \rightarrow 56 - 6 = 50 \rightarrow 50 = 50$$

There are various ways to show the relationship between two variables:

A. Create a **TABLE** to show the corresponding values of x and y ,

Example: John is three years younger than his brother Matthew.
Construct a table that represents their age.

John	Matthew
1	4
2	5
3	6
4	7



PATTERNS, EQUATIONS, AND GRAPHS

B. Write an **EQUATION**, or.

Example: John is three years younger than his brother Matthew.
Write an equation that represents their age.


Let : J = John's age

M = Matthew's age

$$J + 3 = M$$


C. Draw a **GRAPH**.

COORDINATE SYSTEM is a two-dimensional number line. This is a typical coordinate system: The horizontal axis is called the x -axis and the vertical axis is called the y -axis



C. Draw a **GRAPH**.

Example: John is three years younger than his brother Matthew.
Draw a graph that represents their age.



Sample Problem 2: Use a table, an equation, and a graph to represent the relationship of Mary's and Ann's age.

Mary is 2 years older than Ann.

Sample Problem 2: Use a table, an equation, and a graph to represent the relationship of Mary's and Ann's age.


Mary is 2 years older than Ann.

Mary	Ann
1	3
2	4
3	5
4	6

Let : J = John's age


M = Mary's age

$$A + 2 = M$$




INDUCTIVE REASONING is the process of reaching a conclusion based on an observed pattern. It is used to predict values.

Example 4: Predict the next figure in the given sequence.



INDUCTIVE REASONING is the process of reaching a conclusion based on an observed pattern. It is used to predict values.

Example 4: Predict the next figure in the given sequence.




Sample Problem 3: Predict the next figure in the each sequence.


A.




i.



ii.




iii.




iv.


B.




i.



ii.



iii.



iv.


C.




i.



ii.



iii.




iv.

Sample Problem 3: Predict the next figure in the each sequence.


A.




i.



ii.




iii.




iv.


B.




i.



ii.



iii.



iv.


C.




i.



ii.



iii.



iv.

